




KPF: Key Property Facts

An Analysis of This Property & The Local Area

Wednesday 16th April 2025



15, OAKLANDS PLACE, GIPTON, LEEDS, LS8 3TU

Landwood Group



77 Deansgate Manchester M3 2BW

0161 710 2010

Heather.twiss@landwoodgroup.com

<https://landwoodgroup.com/>





Property

Type:	Detached	Last Sold Date:	30/03/2011
Bedrooms:	3	Last Sold Price:	£99,995
Floor Area:	581 ft ² / 54 m ²	Last Sold £/ft²:	£167
Plot Area:	0.02 acres	Tenure:	Leasehold
Year Built :	2011	Start Date:	29/03/2011
Council Tax :	Band A	End Date:	01/01/2134
Annual Estimate:	£1,448	Lease Term:	125 years from 1 January 2009
Title Number:	WYK934884	Term Remaining:	108 years
UPRN:	72678759		

Local Area

Local Authority:	Leeds
Conservation Area:	No
Flood Risk:	
● Rivers & Seas	Very low
● Surface Water	Very low

Estimated Broadband Speeds (Standard - Superfast - Ultrafast)

12 mb/s	80 mb/s	1800 mb/s

Mobile Coverage: (based on calls indoors)




Satellite/Fibre TV Availability:



Property Multiple Title Plans


LANDWOOD
GROUP

Freehold Title Plan



YY1904

Leasehold Title Plan



WYK934884

Start Date:	29/03/2011
End Date:	01/01/2134
Lease Term:	125 years from 1 January 2009
Term Remaining:	108 years

Property
EPC - Certificate

LANDWOOD
GROUP

15 Oaklands Place, Gipton, LS8 3TU

Energy rating

C

Valid until 02.12.2034

Score	Energy rating	Current	Potential
92+	A		
81-91	B		
69-80	C	77 c	77 c
55-68	D		
39-54	E		
21-38	F		
1-20	G		

Property


EPC - Additional Data

LANDWOOD
GROUP

Additional EPC Data

Property Type:	Flat
Build Form:	Detached
Transaction Type:	Marketed sale
Energy Tariff:	Single
Main Fuel:	Mains gas (not community)
Main Gas:	Yes
Floor Level:	01
Flat Top Storey:	No
Top Storey:	0
Glazing Type:	Double glazing installed during or after 2002
Previous Extension:	0
Open Fireplace:	0
Ventilation:	Natural
Walls:	Cavity wall, as built, insulated (assumed)
Walls Energy:	Good
Roof:	Pitched, 270 mm loft insulation
Roof Energy:	Good
Main Heating:	Boiler and radiators, mains gas
Main Heating Controls:	Programmer, room thermostat and TRVs
Hot Water System:	From main system
Hot Water Energy Efficiency:	Good
Lighting:	Low energy lighting in 75% of fixed outlets
Floors:	To unheated space, insulated (assumed)
Total Floor Area:	54 m ²

This map displays nearby coal mine entrances and their classifications.



Mine Entry

- ✕ Adit
- ✕ Gutter Pit
- ✕ Shaft

The Coal Authority has records of over 175,000 mine entries within the UK captured in the National Coal Mining database, derived from sources including abandonment plans, geological and topographical plans.


Coal mining activity is recorded as far back as the 13th century, but prior to 1872 there was no requirement to deposit abandonment plans. It is therefore believed there may be many unrecorded mine entries of which the Authority has no information or knowledge. These entries do not, therefore, appear within the Authority's national dataset as shown on this map.

Maps

Conservation Areas

LANDWOOD
GROUP

This map displays nearby official conservation areas. Every local authority in England has at least one conservation area. Most are designated by the Council as the local planning authority, though Historic England and the Secretary of State also have the power to create them.



Nearby Conservation Areas


- 1 ROUNDHAY
- 2 GLEDHOW VALLEY
- 3 CHAPELTOWN
- 4 MABGATE
- 5 Seacroft - DAWSONS COURT
- 6 BUSLINGTHORPE
- 7 CHAPEL ALLERTON
- 8 Grand Quarter
- 9 Central Area - EASTERN RIVERSIDE
- 10 Central Area - QUEEN SQUARE

Maps

Council Wards

LANDWOOD
GROUP

The UK is divided into wards that are used for local elections to elect local government councillors. Sometimes these are known as 'electoral divisions'. Population counts can vary substantially between wards, but the national average is about 5,500



Nearby Council Wards

1

Gipton & Harehills Ward

2

Killingbeck & Seacroft Ward

3

Roundhay Ward

4

Chapel Allerton Ward

5

Burmantofts & Richmond Hill Ward

6

Temple Newsam Ward

7

Little London & Woodhouse Ward

8

Cross Gates & Whinmoor Ward

9

Moortown Ward

10


Hunslet & Riverside Ward

Flood Risk

Rivers & Seas - Flood Risk

LANDWOOD
GROUP

This map shows the chance of flooding from rivers and / or the sea, taking into account flood defences and their condition.




Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.25%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.25%) in any one year.

Chance of flooding to the following depths at this property:




Flood Risk

Rivers & Seas - Climate Change

LANDWOOD
GROUP

This map shows the future chance of flooding from rivers and / or the sea **between 2036 and 2069**, taking into account flood defences and their condition. The government climate change models cannot predict exactly when the chance of flooding will go up. It could happen at any time during the time period.



Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.1%) in any one year.

Chance of flooding to the following depths at this property:



KPF - Key Property Facts


Powered by
aprift
Know any property instantly

Flood Risk

Surface Water - Flood Risk

LANDWOOD
GROUP

This map shows the chance of flooding where rainwater has nowhere to drain. This kind of flooding can occur far from rivers or seas.




Risk Rating: Very low


The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.25%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.25%) in any one year.

Chance of flooding to the following depths at this property:



This map shows the future chance of flooding **between 2040 and 2060** where rainwater has nowhere to drain. This kind of flooding can occur far from rivers or seas. The government climate change models cannot predict exactly when the chance of flooding will go up. It could happen at any time during the time period.



Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.1%) in any one year.

Chance of flooding to the following depths at this property:




Maps


Green Belt

LANDWOOD
GROUP

This map displays nearby areas that have been designated as Green Belt...



Nearby Green Belt Land


-  South and West Yorkshire Green Belt - Leeds
-  South and West Yorkshire Green Belt - Harrogate
-  South and West Yorkshire Green Belt - Selby
-  South and West Yorkshire Green Belt - Wakefield
-  South and West Yorkshire Green Belt - Bradford
-  South and West Yorkshire Green Belt - Calderdale
-  South and West Yorkshire Green Belt - Kirklees

Maps

Landfill Sites

LANDWOOD
GROUP

This map displays the location of known landfill sites. Historic sites are where there is no environmental permit in force. Active sites are currently authorised by the Environment Agency under Environmental Permitting Regulations.



Nearby Landfill Sites


1	Harehills Depot-Kimberley Road, Leeds	Historic Landfill	<input type="checkbox"/>
2	Killingbeck Hospital-Killingbeck, Leeds	Historic Landfill	<input type="checkbox"/>
3	Elford Place, Banstead Terrace-Roundhay Road, Harehills, Leeds	Historic Landfill	<input type="checkbox"/>
4	East Bank of Wyke Beck-Fronting York Road, Leeds	Historic Landfill	<input type="checkbox"/>
5	York Road-Leeds, West Yorkshire	Historic Landfill	<input type="checkbox"/>
6	Land Adjacent Gathorne Terrace-Harehills, Leeds	Historic Landfill	<input type="checkbox"/>
7	Land Bounded by The Rein-Kentmere Approach, Kentmere Crescent, Kentmere Avenue and Baggot Hill Drive, Leeds	Historic Landfill	<input type="checkbox"/>
8	North of Brainwood School, Elmete Lane-Elmete Lane, Leeds	Historic Landfill	<input type="checkbox"/>
9	Rockwood Road-Osmondthorpe	Historic Landfill	<input type="checkbox"/>
10	Halton Dene-Selby Road, Leeds, West Yorkshire	Historic Landfill	<input type="checkbox"/>











Maps

Listed Buildings

LANDWOOD
GROUP


This map displays nearby listed buildings and protected structures, as well as their listed tier and distance from the target property...




Listed Buildings in the local district	Grade	Distance
 1255904 - Church Of The Epiphany	Grade I	0.3 miles
 1375342 - Fearnville	Grade II	0.5 miles
 1375292 - Hollin Hill House	Grade II	0.6 miles
 1256053 - Harehills Middle School	Grade II	0.8 miles
 1256285 - Gipton Spa	Grade II	0.9 miles
 1256309 - Galli Family Memorial In Beckett Street Cemetery At Ngr 3202 3465	Grade II	0.9 miles
 1256308 - Beckett Street Cemetery Monument To Sarah Kidney	Grade II	1.0 miles
 1256043 - Church Of The Three Hierarchs	Grade II	1.0 miles
 1256272 - St James Hospital Northside Building	Grade II	1.0 miles
 1256175 - Church Of St Aidan	Grade II	1.0 miles

Area Schools

LANDWOOD
GROUP



		Nursery	Primary	Secondary	College	Private
1	Co-op Academy Oakwood Ofsted Rating: Good Pupils: 458 Distance:0.18	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2	St Augustine's Catholic Primary School, A Voluntary Academy Ofsted Rating: Good Pupils: 474 Distance:0.37	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3	St Nicholas Catholic Primary School Ofsted Rating: Good Pupils: 315 Distance:0.4	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4	Co-op Academy Woodlands Ofsted Rating: Good Pupils: 449 Distance:0.44	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5	John Jamieson School Ofsted Rating: Good Pupils: 431 Distance:0.56	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6	Wykebeck Primary School Ofsted Rating: Good Pupils: 408 Distance:0.62	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7	Hovingham Primary School Ofsted Rating: Requires improvement Pupils: 713 Distance:0.64	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8	Harehills Primary School Ofsted Rating: Good Pupils: 701 Distance:0.7	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>




		Nursery	Primary	Secondary	College	Private
9	Co-op Academy Nightingale Ofsted Rating: Good Pupils: 399 Distance:0.84	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
10	Leeds East Academy Ofsted Rating: Good Pupils: 1051 Distance:0.86	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
11	Roundhay St John's Church of England Primary School Ofsted Rating: Good Pupils: 242 Distance:0.91	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12	Bishop Young Church of England Academy Ofsted Rating: Good Pupils: 772 Distance:0.92	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
13	The Pivot Academy LS East Ofsted Rating: Not Rated Pupils: 63 Distance:0.94	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
14	Co-op Academy Brownhill Ofsted Rating: Good Pupils: 457 Distance:0.96	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
15	Bankside Primary School Ofsted Rating: Good Pupils: 724 Distance:0.99	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
16	Seacroft Grange Primary School Ofsted Rating: Good Pupils: 210 Distance:1.02	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>



Local Area

Masts & Pylons

LANDWOOD
GROUP





Key:

-  Power Pylons
-  Communication Masts


What is Radon?

Radon is a natural radioactive gas, which enters buildings from the ground. Exposure to high concentrations increases the risk of lung cancer. The UK Health Security Agency (UKHSA) recommends that radon levels should be reduced in homes where the annual average is at or above 200 becquerels per cubic metre (200 Bq/m³).



Local Area Road Noise

LANDWOOD
GROUP




This data indicates the level of noise according to the strategic noise mapping of road sources within areas with a population of at least 100,000 people (agglomerations) and along major traffic routes. This indicates a 24 hour annual average noise level with separate weightings for the evening and night periods.

Noise levels are modelled on a 10m grid at a receptor height of 4m above ground, polygons are then produced by merging neighbouring cells within the following noise classes:

- 75.0+ dB
- 70.0-74.9 dB
- 65.0-69.9 dB
- 60.0-64.9 dB
- 55.0-59.9 dB

Ground Composition for this Address (Surrounding square kilometer zone around property)

Carbon Content:	NONE	Soil Texture:	LOAM TO CLAY
Parent Material Grain:	ARGILLIC - ARENACEOUS	Soil Depth:	INTERMEDIATE-SHALLOW
Soil Group:	MEDIUM TO HEAVY		




Primary Classifications (Most Common Clay Types)

C/M	Claystone / Mudstone
FPC,S	Floodplain Clay, Sand / Gravel
FC,S	Fluvial Clays & Silts
FC,S,G	Fluvial Clays, Silts, Sands & Gravel
PM/EC	Prequaternary Marine / Estuarine Clay / Silt
QM/EC	Quaternary Marine / Estuarine Clay / Silt
RC	Residual Clay
RC/LL	Residual Clay & Loamy Loess
RC,S	River Clay & Silt
RC,FS	Riverine Clay & Floodplain Sands and Gravel
RC,FL	Riverine Clay & Fluvial Sands and Gravel
TC	Terrace Clay
TC/LL	Terrace Clay & Loamy Loess

Area


Transport (National)

LANDWOOD
GROUP



National Rail Stations

Pin	Name	Distance
1	Cross Gates Rail Station	1.97 miles
2	Cross Gates Station	1.99 miles
3	Leeds Rail Station	2.46 miles



Trunk Roads/Motorways

Pin	Name	Distance
1	M1 J45	2.88 miles
2	M621 J7	3.25 miles
3	M1 J44	3.61 miles
4	M621 J4	2.93 miles
5	M621 J6	3.39 miles




Airports/Helipads

Pin	Name	Distance
1	Leeds Bradford Airport	7.63 miles
2	Finningley	30.52 miles
3	Teesside Airport	48.3 miles
4	Manchester Airport	44.65 miles

Area

Transport (Local)

LANDWOOD
GROUP



Bus Stops/Stations

Pin	Name	Distance
1	Gipton Lidl	0.1 miles
2	Oakwood Academy	0.15 miles
3	North Farm Road	0.19 miles
4	Amberton Approach	0.16 miles
5	Foundry Avenue	0.19 miles

Landwood Group

Data Quality

We are committed to comprehensive property data being made available upfront to make the home buying and selling process quicker, easier and cheaper. This is why we have partnered with Sprift, the UK's leading supplier of property-specific data.



Contains public sector information licensed under the Open Government License v3.0

The information contained within this report is for general information purposes only and to act as a guide to the best way to market your property for the asking price.

Sprift Technologies Ltd aggregate this data from a wide variety of sources and while we endeavour to keep the information up to date and correct, we make no representations or warranties of any kind, express or implied, about the completeness, accuracy, reliability, of the information or related graphics contained within this report for any purpose.

Any reliance you place on such information is therefore strictly at your own risk. In no event will we be liable for any loss or damage including without limitation, indirect or consequential loss or damage, or any loss or damage whatsoever arising from loss of data or profits arising out of, or in connection with, the use of this report.



Landwood Group

77 Deansgate Manchester M3 2BW

0161 710 2010

Heather.twiss@landwoodgroup.com

<https://landwoodgroup.com/>

